

SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830 - Austria

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Product name	: BENDA-LUTZ® 2051
Product code	: BL24650
Trade name	: BENDA-LUTZ®
EC number	: Not available.
CAS number	: Not available.
Date of issue/ Date of revision	: 17 August 2016
Version	: 5.03

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses		
Colorant; Printing ink; Printing ink related material; Chemical reagent.		
Uses advised against Reason		
Not applicable.		

1.3 Details of the supplier of the safety data sheet

Manufacturer/ Distributor	: SunChemical Benda-Lutz Werke GmbH Ferdinand-Lutz-Strasse 8, 3134 Nussdorf ob der Traisen, Austria +43 2783 6202 0 (0800-1600h)
	Sun Chemical S.A./N.V. Performance Pigments Parc Industriel de la Noire Epine Av. Fleming 2 1300 Wavre Belgium T: +45 56 67 75 85
e-mail address of person responsible for this SDS	: regulatory.affairs@sunchemical.com

1.4 Emergency telephone number

National advisory body/Poison Center			
Telephone number	: (43) 1 406 4343 (24hrs)		
<u>Supplier</u>			
Telephone number	: (1)703 527 3887(Chemtrec International-24 hours)		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mono-constituent substance

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Flam. Sol. 1, H228

See Section 16 for the full text of the H statements declared above.

1

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms



Signal word Hazard statements		Danger Flammable solid.
Precautionary statements Prevention	:	Wear protective gloves. Wear eye or face protection. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof electrical, ventilating, lighting and all material-handling equipment.
Response	:	Not applicable.
Storage Disposal Hazardous ingredients Supplemental label	:	Not applicable. Not applicable. BENDA-LUTZ® 2051 Not applicable.
elements 2.3 Other hazards		
Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII	:	No. P: Not available. B: Not available. T: No.
Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	:	Not available.
Other hazards which do not result in classification	:	Fine dust clouds may form explosive mixtures with air. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat. May be combustible.

SECTION 3: Composition/information on ingredients

			Classification	
Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре
aluminium powder (stabilised)	EC: 231-072-3 CAS: 7429-90-5 Index: 013-002-00-1	>80	Flam. Sol. 1, H228	[A]
Date of issue : 17	August, 2016	1	Pag	ie: 2/1

SECTION 3: Composition/information on ingredients

See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[A] Constituent

[B] Impurity

[C] Stabilizing additive

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

General	:	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice.
Eye contact	:	Check for and remove any contact lenses. Immediately flush eyes with room temperature water for at least 15 minutes, keeping eyelids open. In case of accidental eye contact, avoid concurrent exposure to the sun or other sources of UV light which may increase the sensitivity of the eyes.
Inhalation	:	Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	:	Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners.
Ingestion	:	If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

4.2 Most important symptoms and effects, both acute and delayed

There are no data available on the mixture itself. The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin, resulting in nonallergic contact dermatitis and absorption through the skin.Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.Fine dust clouds may form explosive mixtures with air.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to medical doctor	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	se special metal fire powder to extinguish. Dry sand or other suitable at	osorbent.
Unsuitable extinguishing media	o not use water. Carbon dioxide. Extinguishing media of class A, B, C. I	Foam.
5.2 Special hazards arising f	e substance or mixture	
Hazards from the substance or mixture	ammable and explosive hydrogen gas may be produced on contact of t th water.	the product
	ne dust clouds may form explosive mixtures with air.	
Hazardous thermal decomposition products	ecomposition products may include the following materials: carbon mor rbon dioxide, smoke, oxides of nitrogen.	noxide,
5.3 Advice for firefighters		
Special protective actions for fire-fighters	o not release runoff from fire to drains or watercourses.	
Special protective equipment for fire-fighters	opropriate breathing apparatus may be required. Put on appropriate per otective equipment.	rsonal

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures		
For non-emergency personnel	Exclude sources of ignition and ventilate the area. Avoid breathing vapor or n Refer to protective measures listed in sections 7 and 8.	nist.
For emergency responders	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
6.2 Environmental precautions	Do not allow to enter drains or watercourses. If the product contaminates lake rivers, or sewers, inform the appropriate authorities in accordance with local regulations.	es,
6.3 Methods and materials for containment and cleaning up	Contain and collect spillage with non-combustible, absorbent material e.g. sa earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Preferably clean with a deterg Avoid using solvents.	
6.4 Reference to other sections	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.	

SECTION 7: Handling and storage

7.1 Precautions for safe handling	: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in area where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible

Date of issue	: 17 August, 2016	Page: 4/11
---------------	-------------------	------------

SECTION 7: Handling and storage

material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Empty containers retain product residue and can be hazardous. Do not reuse container. 7.2 Conditions for safe : Store in accordance with local regulations. Notes on joint storage storage, including any incompatibilities Keep away from: oxidizing agents, strong alkalis, strong acids. Store away from halogens and halogenated compounds. Additional information on storage conditions Observe label precautions. Store in a dry, cool and well-ventilated area. Keep away from heat and direct sunlight. Keep away from sources of ignition. No smoking. Prevent unauthorized access. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Keep away from water or moist air.

7.3 Specific end use(s)	
Recommendations	Not available.
Industrial sector specific	Not available.
solutions	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
aluminium powder (stabilised)	GKV_MAK (Austria, 12/2011). TWA: 10 mg/m ³ 8 hours. Form: inhalable fraction PEAK: 20 mg/m ³ , 2 times per shift, 60 minutes. Form: inhalable fraction PEAK: 10 mg/m ³ , 2 times per shift, 60 minutes. Form: respirable fraction TWA: 5 mg/m ³ 8 hours. Form: respirable fraction
procedures atmosphere or of the ventilation protective equip the following: E the assessment limit values and atmospheres - 0 of exposure to of (Workplace atmospheres the measure for the mea	ontains ingredients with exposure limits, personal, workplace biological monitoring may be required to determine the effectiveness in or other control measures and/or the necessity to use respiratory oment. Reference should be made to monitoring standards, such as European Standard EN 689 (Workplace atmospheres - Guidance for t of exposure by inhalation to chemical agents for comparison with measurement strategy) European Standard EN 14042 (Workplace Guide for the application and use of procedures for the assessment chemical and biological agents) European Standard EN 482 nospheres - General requirements for the performance of procedures ement of chemical agents) Reference to national guidance methods for the determination of hazardous substances will also be

DNELs/DMELs

Product/ ingredient name	Туре	Exposure	Value	Population	Effects
No DELs available.					

PNECs

Date of issue

SECTION 8: Exposure controls/personal protection

Product/ingredient name	Туре	Compartment Detail	Value	Method Detail
No PECs available.				

8.2 Exposure controls

Appropriate engineering controls	: Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapors below the OEL, suitable respiratory protection must be worn.
Individual protection measu	<u>ires</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.
Eye/face protection	: Safety eyewear should be used when there is a likelihood of exposure.
Skin protection	
Hand protection	: Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred.
Gloves	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	 Personnel should wear antistatic clothing made of natural fibers or of high- temperature-resistant synthetic fibers.
Respiratory protection	: If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators.
Environmental exposure controls	: Do not allow to enter drains or watercourses.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

:	Not tested Not tested 0.15 to 0.35
:	Not tested
:	Not tested
:	Not tested
:	Not tested
:	Not applicable.
:	Not applicable.
:	660°C
:	Not applicable.
:	Wax like [Slight]
:	Metallic form
:	Solid. [Powder.]

SECTION 9: Physical and chemical properties

Solubility(ies)	: Insoluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/ water	: Not applicable.
Auto-ignition temperature	: 590°C (1094°F)
Decomposition temperature	: Not applicable.
Viscosity	: Not tested
Explosive properties	: Not applicable.
Oxidizing properties	: Not applicable.

9.2 Other information

No additional information.

SECTION 10: Stabilit	y and reactivity
10.1 Reactivity	 Explosion risk when reacting with: Water to form hydrogen gas Oxidizing agents, acids, alkalis, with evolution of heat and hydrogen gas Sulfur (in reaction with zinc) Violent reactions possible with: Halogens, halogenated hydrocarbons Formation of toxic compounds: Nitric acid (in reaction with copper and gold bronze)
10.2 Chemical stability	: Stable under recommended storage and handling conditions (see Section 7).
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: When exposed to high temperatures may produce hazardous decomposition products. Keep away from sources of ignition. Keep away from heat and direct sunlight. Keep away from water or moist air. Avoid dust generation.
10.5 Incompatible materials	: Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids. Store away from halogens and halogenated compounds. Keep away from water or moist air.
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

There are no data available on the mixture itself. The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin, resulting in non-allergic contact dermatitis and absorption through the skin.Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.Fine dust clouds may form explosive mixtures with air.

11.1 Information on toxicological effects

Acute toxicity

SECTION 11: Toxicological information

-	
ot determined - Classification according to Regulation (EC) No. 1272/2008 [CLP/ HS]	
itation/Corrosion	
ot determined - Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS	3]
ensitization	
ot determined - Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS	5]
utagenicity	
ot applicable.	
arcinogenicity	
ot applicable.	
eproductive toxicity	
ot determined - Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]
ratogenicity	
ot applicable.	
<u>pecific target organ toxicity (single exposure)</u>	
ot determined - Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS	3]
<u>pecific target organ toxicity (repeated exposure)</u>	
ot determined - Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS	5]
	-

Aspiration hazard

Not determined - Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

SECTION 12: Ecological information

There are no data available on the mixture itself. Do not allow to enter drains or watercourses.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

12.1 Toxicity

Not available.

12.2 Persistence and degradability

Not available.

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil	
Soil/water partition	: Not available.
coefficient (Koc)	
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

PBT	: No.
vPvB	: Not available.

Date of issue : 17 August, 2016 Page

SECTION 12: Ecological information

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

Do not allow to enter drains or watercourses.

Dispose of according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

For further information, contact your local waste authority.

13.1 Waste treatment methods

Product

Product	
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
European Waste Catalogue (EWC):	: 12 01 04 non-ferrous metal dust and particles
Special precautions	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number	UN1309	UN1309	UN1309	UN1309
14.2 UN proper shipping name	ALUMINIUM POWDER, COATED	ALUMINIUM POWDER, COATED	ALUMINIUM POWDER, COATED	ALUMINIUM POWDER, COATED
14.3 Transport hazard class(es)	4.1	4.1	4.1	4.1
14.4 Packing group	11	II	II	11
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	Tunnel code (E)	-	IMDG Code Segregation group 15 - Powdered metals	-
Date of issue : 17 August, 2016 Page: 9/1				

SECTION 14: Transport information

14.6 Special
precautions for
userTransport within user's premises: always transport in closed containers that are upright and
secure. Ensure that persons transporting the product know what to do in the event of an
accident or spillage.

14.7 Transport in bulk: Not available.according to Annex II ofMARPOL and the IBC Code

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

Substances of very high concern None of the components are listed. Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles **Other EU regulations National regulations** Industrial use : The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation. The provisions of the national health and safety at work regulations apply to the use of this product at work. Limitation of the use of : Permitted. organic solvents International lists: Canada inventory: All components are listed or exempted. Australia inventory (AICS): All components are listed or exempted. China inventory (IECSC): All components are listed or exempted. Japan inventory (ENCS): Not determined. Korea inventory: All components are listed or exempted. New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted. Philippines inventory (PICCS): All components are listed or exempted. Europe Inventory: Please contact your supplier to get the information. TSCA 8(b) inventory: : Listed **15.2 Chemical Safety** This product contains substances for which Chemical Safety Assessments are still Assessment to be received.

SECTION 16: Other information

CEPE code	: 1				
Indicates information that has changed from previously issued version.					
Abbreviations and acronyms	 ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number 				

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification		Justification		
Flam. Sol. 1, H228		On basis of test data		
Full text of abbreviated H statements	: H228 Flammable solid			
Full text of classifications [CLP/GHS]	: Flam. Sol. 1, H228	FLAMMABLE SOLIDS - Category 1		
Full text of abbreviated R phrases	: R11- Highly flammable. R15- Contact with water liberates extremely flammable gases.			
Full text of classifications [DSD/DPD]	: F - Highly flammable			
Date of printing	: 19 September 2016			
Date of previous issue	: 11 August 2016			
Notice to reader				
The information in this SDS is based on the present state of our knowledge and on current laws. The product				

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

Annex